


MINI - MP1




Size Specification

External demensions	W1070*D1070*H2280 mm (all cloud H2334mm)
Internal dimensions	W900*D900 (1050 is glass to glass)*H2130 mm
Weight	265kg
Palletizing demensions	W580*D2250*H1245 mm
Volume	1.63m³

Door opening direction: Left hand
Door closer
Optional occupancy indicator light

Pallet placement
sequence




Material

Frame	6063 aviation aluminnum alloy
Glass	(4+0.76PVB+4) laminated glass
Wall	1.0mm steel surface/Gabriel upholstery + acoustic package (double-layer 2300g acoustic block) + 3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Roof	0.8mm steel surface/Gabriel upholstery + acoustic package (double-layer 2000g acoustic block) +3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Bottom plate	E0 25+9mm plywood with Black ABS edge banding + Steel frame + +25mm adjustable heavy-duty feet + Carpet (TPO Eco backer + USA Global Nylon Yarn)
Coating	TIGER powder electrostatic spraying


Color

EXTERNAL

upholstery



coating



INTERNAL



(Interior finish can be wrapped in cloth color)

CARPET




ROOF/ BOTTOM PLATE/ DOOR FRAME



(Exterior cloud paint option only)

Specification



MINI-MP1

Furniture
Bar table (with a cup holder)
W900*D760*H1050
Color: White MFC/ wooden color plywood/ Yellow powder coating


Power Configuration
1 power track (1 AC)
1 wireless charging
3m network cable、USB module can be added
AC 220V, USB 5V 3.1A

Parameter Configuration

Consumption	40W, electrical appliances access less than 1000W
Ceiling light	0 - 20W
Wall fan	0.84W, 1500rpm *2 (80*80mm)
Roof fan	3.36W, 2000rpm*2 (140*140mm)

Ventilation 1.68m³/min, 59.3CFM, air chang rate 50/h
Noise reduction DS,A 30.3 dB (ISO 23351-1:2020)

MINI - MP1.5



Size Specification

External demensions	W1320*D1070*H2280mm (all cloud H2334mm)
Internal dimensions	W1150*D900*H2130 mm
Weight	325kg
Palletizing demensions	W1445*D2220*H836
Volume	2.06m³

Door opening direction: Right hand
Door closer
Occupancy indicator light

Pallet placement
sequence

Top
Bottom&Accessory box
Functional panel
Non-Functional panel
Back wall
Door
Functional stripe

Material

Frame	6063 aviation aluminnum alloy
Glass	(4+0.76PVB+4) laminated glass
Wall	1.0mm steel surface/Gabriel upholstery + acoustic package (double-layer 2300g acoustic block) + 3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Roof	0.8mm steel surface/Gabriel upholstery + acoustic package (double-layer 2000g acoustic block) +3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Bottom plate	E0 25+9mm plywood with Black ABS edge banding + Steel frame + +25mm adjustable heavy-duty feet + Carpet (TPO Eco backer + USA Global Nylon Yarn)
Coating	TIGER powder electrostatic spraying

Color

EXTERNAL

Skyline MS01	Cloud MS02	Pebble MS03	Sunrise MS04	Misty Fog MS05	Pine Tree MS06	Gingko MS07	Starry Night MS08
-----------------	---------------	----------------	-----------------	-------------------	-------------------	----------------	----------------------

INTERNAL



Fog

CARPET



Rock

ROOF/ BOTTOM PLATE/ DOOR FRAME



Pebble
MS03




Cloud
MS02

(Exterior cloud paint option only)

SOFA/UPHOLSTERY

Frost 60188	Porcelain 61206	Marigold 62063	Sandstone 62065	Ochre 63077	Amber 64137	Sky 66010	Arctic 66159	Sapphire 66160	Ocean 67066	Peacoak 68142
----------------	--------------------	-------------------	--------------------	----------------	----------------	--------------	-----------------	-------------------	----------------	------------------

Specification




MINI-MP1.5A

Furniture
Height-adjustable desk
(with 1 cup holder)
W880*D470*H740-1150
Color: White MFC/ wooden color
plywood/ Yellow powder coating

Power Configuration
1 integrated socket (Black、2 AC、1USB、
1Type-c)
AC 220V, USB 5V 3.1A
3m network cable can be added

Functional tape
Standard: steel coating, same color as the external



MINI-MP1.5B

Furniture
Desk (with 1 cup holder)
W880*D470*H750
Color: White MFC/ wooden color plywood/
Yellow powder coating
Function board:W896*D100(Includes light
tape)
Sofa: W900*D600

Power Configuration
1 integrated socket (Black、2 AC、1USB、
1Type-c)
AC 220V, USB 5V 3.1A
3m network cable can be added
Functional tape
Standard: steel coating, same color as the external

Parameter Configuration

Consumption	40W, electrical appliances access less than 1000W
Ceiling light	0 - 20W
Wall fan	0.84W, 1500rpm *2 (80*80mm)
Roof fan	3.36W, 2000rpm*2 (140*140mm)

Ventilation 1.68m³/min, 59.3CFM, air chang rate 46/h
Noise reduction DS,A 30.3 dB (ISO 23351-1:2020)

MINI - MP2



Size Specification

External demensions	W1635*D1360*H2280mm (all cloud H2334mm)
Internal dimensions	W1465*D1190 (1340 is glass to glass) *H2130 mm
Weight	450kg
Palletizing dimensions	W14450*D2290*H939
Volume	2.69m³

Door opening direction: Right hand
Door closer
Optional occupancy indicator light

Pallet placement
sequence


Top
Bottom
Functional panel
Non-Functional panel
Door
Large glass(Accessory box)
Small glass
Small glass

Material

Frame	6063 aviation aluminnum alloy
Glass	(4+0.76PVB+4) laminated glass
Wall	1.0mm steel surface/Gabriel upholstery + acoustic package (double-layer 2300g acoustic block) + 3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Roof	0.8mm steel surface/Gabriel upholstery + acoustic package (double-layer 2000g acoustic block) +3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Bottom plate	E0 25+9mm plywood with Black ABS edge banding + Steel frame + +25mm adjustable heavy-duty feet + Carpet (TPO Eco backer + USA Global Nylon Yarn)
Coating	TIGER powder electrostatic spraying

Color

EXTERNAL



INTERNAL




CARPET




ROOF/ BOTTOM PLATE/ DOOR FRAME



UPHOLSTERY




Specification



MINI-MP2A

Furniture
Hight-adjustable desk
W1160*D600*H740-1150
Color: White MFC/ wooden color plywood/ Yellow powder coating


Power Configuration
1Clamp-on Socket (Black、2 AC、1USB、1Type-c)
AC 220V, USB 5V 3.1A



MINI-MP2B

Furniture
Bar table (with 2 cup holders)
W1460*D475*H1050
Color: White MFC/ wooden color plywood/ Yellow powder coating

Power Configuration
2 power track (Gray、1AC)
1 wireless charging
USB module can be added
AC 220V, USB 5V 3.1A



MINI-MP2C

Furniture
Negotiating table
W900*D700*H740
Color: White MFC/ wooden color plywood/ Yellow powder coating


Power Configuration
1Clamp-on Socket (Black、3 AC、1USB、1Type-c)
AC 220V, USB 5V 3.1A
3m network cable can be added

Parameter Configuration

Consumption	40W, electrical appliances access less than 1000W
Ceiling light	0 - 20W
Wall fan	0.84W, 1500rpm *6 (80*80mm)
Roof fan	3.36W, 2000rpm*2 (140*140mm)

Ventilation	2.35m³/min, 83CFM, air chang rate 45/h
Noise reduction	DS,A 30.2 dB (ISO 23351-1:2020)

MINI - MP3



Size Specification

External demensions	W2200*D1360*H2280 mm (all cloud H2334mm)
Internal demensions	W2030*D1190 (1340 is glass to glass) *H2130 mm
Weight	580kg
Palletizing demensions	W1280*D2290*H733
Volume	3.1m³

Door opening direction: Left hand
Door closer
Optional occupancy indicator light

Pallet placement
sequence

Top	
Functional panel	
Non-Functional panel	
Door	
Large glass(Accessory box)	
Small glass	Small glass
Small glass	Small glass
Bottom	

Material

Frame	6063 aviation aluminnum alloy
Glass	(4+0.76PVB+4) laminated glass
Wall	1.0mm steel surface/Gabriel upholstery + acoustic package (double-layer 2300g acoustic block) + 3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Roof	0.8mm steel surface/Gabriel upholstery + acoustic package (double-layer 2000g acoustic block) +3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Bottom plate	E0 25+9mm plywood with Black ABS edge banding + Steel frame + +25mm adjustable heavy-duty feet + Carpet (TPO Eco backer + USA Global Nylon Yarn)
Coating	TIGER powder electrostatic spraying

Color

EXTERNAL



INTERNAL




CARPET




ROOF/ BOTTOM PLATE/ DOOR FRAME




SOFA/UPHOLSTERY



Specification



MINI-MP3(1)



MINI-MP3(2)

Furniture
Negotiating table
Option 1: W600*D900*H740
Option 2: W600*D800*H740+400 (monitor available)
Color: White MFC/ wooden color plywood/ Yellow powder coating

Sofa
W1190*D605*H730


Power Configuration
Option 1:1 power track (Gray、2 AC)
Option 2: 1 integrated socket (Black、3 AC、1 USB、1Type-c) 3m network cable can be added
AC 220V, USB 5V 3.1A

Parameter Configuration

Consumption	60W, electrical appliances access less than 1000W
Ceiling light	0 - 20W
Wall fan	0.84W, 1500rpm *6 (80*80mm)
Roof fan	3.36W, 2000rpm *4 (140*140mm)

Ventilation 4.7m³/min, 165CFM, air chang rate 56/h
Noise reduction DS,A 30.3 dB (ISO 23351-1:2020)

MINI - MP5



Size Specification

External demensions	W2200*D1970*H2280 mm （all cloud H2334mm）	Pallet placement sequence
Internal demensions	W2030*D1800 （1950 is glass to glass）*H2130 mm	
Weight	800kg	
Palletizing demensions	W1280*D2290*H733 x2 pallets	
Volume	4.3m³	
Door opening direction:	Left hand	
Door closer		
Optional occupancy indicator light		

Top	Top
Functional panel	Functional panel
Non-Functional panel	Non-Functional panel
Large glass(Accessory box)	Door
Small glass	Small glass
Small glass	Small glass
Bottom	Bottom

Material

Frame	6063 aviation aluminnum alloy
Glass	(4+0.76PVB+4) laminated glass
Wall	1.0mm steel surface/Gabriel upholstery + acoustic package （double-layer 2300g acoustic block）+ 3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Roof	0.8mm steel surface/Gabriel upholstery + acoustic package （double-layer 2000g acoustic block）+3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Bottom plate	E0 25+9mm plywood with Black ABS edge banding + Steel frame + +25mm adjustable heavy-duty feet + Carpet （TPO Eco backer + USA Global Nylon Yarn）
Coating	TIGER powder electrostatic spraying

Color

EXTERNAL




INTERNAL




CARPET




ROOF/ BOTTOM PLATE/ DOOR FRAME



SOFA/UPHOLSTERY




Specification




MINI-MP5A

Furniture
Negotiating table
Option 1: W600*D1400*H740
Option 2: W600*D1300*H740+400
（monitor available）
Color: White MFC/ wooden color
plywood/ Yellow powder coating
Sofa: W1800*D605
Power Configuration
Option 1: 1 power track （2 AC）
3m network cable、USB module
can be added
Option 2:1 integrated socket
（Black、3 AC、1USB、1Type-c）
AC 220V， USB 5V 3.1A



MINI-MP5B

Furniture
Negotiating table
W600*D400*H740
Color: White MFC/ wooden
color plywood/ Yellow
powder coating
Sofa:W1800*D605*H730
Power Configuration
1 power track （2 AC）
USB module can be added
AC 220V， USB 5V 3.1A



MINI-MP5C


Furniture
Negotiating table
Option 1: W600*D1400*H1050
Option 2: W600*D1300*H1050+400
（monitor available）
Color: White MFC/ wooden color
plywood/ Yellow powder coating
Power Configuration
Option 1: 1 power track （2 AC）
3m network cable、USB module
can be added
Option 2:1 integrated socket
（Black、3 AC、1USB、1Type-c）
AC 220V， USB 5V 3.1A

Parameter Configuration

Consumption	60W, electrical appliances access less than 1000W
Ceiling light	0 - 30W
Wall fan	0.84W, 1500rpm *8 （80*80mm）
Roof fan	3.36W, 2000rpm *6 （140*140mm）

Ventilation	6.27m³/min, 221CFM, air chang rate 52/h
Noise reduction	DS,A 30.3 dB (ISO 23351-1:2020)

MINI - MP6



Size Specification

External demensions	W2200*D2870*H2280mm （all cloud H2334mm）	Pallet placement sequence
Internal dimensions	W2030*D2700 （2850 is glass to glass）*H2130 mm	
Weight	900kg	
Palletizing demensions	W1270*D2290*H930 x2 pallets	
Volume	5.4m³	
Door opening direction:	Left hand	Top Top Functional panel Non-Functional panel Non-Functional panel Non-Functional panel Large glass(Accessory box) Small glass Small glass Bottom + Top Non-Functional panel Non-Functional panel Non-Functional panel Door Small glass Small glass Bottom Bottom
Door closer		
Optional occupancy indicator light		

Material

Frame	6063 aviation aluminnum alloy
Glass	(4+0.76PVB+4) laminated glass
Wall	1.0mm steel surface/Gabriel upholstery + acoustic package （double-layer 2300g acoustic block）+ 3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Roof	0.8mm steel surface/Gabriel upholstery + acoustic package （double-layer 2000g acoustic block）+3.5mm 1800g polyester panel + 350g felt + 9mm 1800g polyester panel +2mm 400g fabric
Bottom plate	E0 25+9mm plywood with Black ABS edge banding + Steel frame + +25mm adjustable heavy-duty feet + Carpet （TPO Eco backer + USA Global Nylon Yarn）
Coating	TIGER powder electrostatic spraying

Color

EXTERNAL

Skyline MS01

Cloud MS02

Pebble MS03

Sunrise MS04

Misty Fog MS05

Pine Tree MS06

Gingko MS07

Starry Night MS08

INTERNAL

Fog

CARPET

Rock

ROOF/ BOTTOM PLATE/ DOOR FRAME

Pebble MS03

Cloud MS02

(Exterior cloud paint option only)

SOFA/UPHOLSTERY

Frost 60188

Porcelain 61206

Marigold 62063

Sandstone 62065

Ochre 63077

Amber 64137

Sky 66010

Arctic 66159

Sapphire 66160

Ocean 67066

Peacock 68142

Specification

Furniture
Negotiating table
W600*D400*H740
Color: White MFC/ wooden color plywood/ Yellow powder coating
Sofa
W2700*D605*H730

Power Configuration
1 power track （2 AC）
USB module can be added
AC 220V， USB 5V 3.1A

Parameter Configuration

Consumption	60W，electrical appliances access less than 2000W
Ceiling light	0 - 30W
Wall fan	0.84W，1500rpm *12 （80*80mm）
Roof fan	3.36W，2000rpm *6 （140*140mm）
Ventilation	9.4m³/min，332CFM，air chang rate 52/h
Noise reduction	DS,A 30.3 dB (ISO 23351-1:2020)